

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

## Port Authority® Flexfit 110® Mesh Cap. C110

### Product photo




- 60/40 cotton/polyester front panels; 55/43/2 polyester/rayon/spandex front panels (Heathers); 100% polyester mesh mid and back panels
- Structured
- Mid-profile
- Permacurv® bill to maintain proper shape and curve
- Silver undervisor
- 8-row stitching on visor
- Flexfit 110 technology allows for the perfect blend of Flexfit technology and adjustability for a more custom fit
- 7-position adjustable snapback closure

### Sketches



front



back

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Flexfit 110® Mesh Cap. C110

## PRODUCT MEASUREMENTS

---

OSFA

Crown Height 6 7/8

Width of Front Panel(s) 7 1/2

Bill/Visor Length 2 5/8

**Crown Height:** Measure from middle of button at top, to brim seam along center front.

**Width of Front Panel(s):** Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

**Bill/Visor Length:** Measure from outside edge of bill to crown seam at center front.

## SIZE CHARTS

---

OSFA

Hat Size 6 1/2- 7 7/8

Head Size 20 3/8- 24 5/8

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Flexfit 110® Mesh Cap. C110

## HOW TO MEASURE

---

### HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head.  
Divide number by 3.14 for hat size.

## COLORS

---



Black/ Black  
PMS BLACK  
C



Black/ White  
PMS BLACK  
C



Graphite/  
White  
PMS 7540C



Heather  
Graphite/  
Black  
PMS 7540C



Heather  
Silver/ Black  
PMS 429C



True Navy/  
True Navy  
PMS 533C



White/ White